

修改积分打赏开关

接口URL

http://api.polyv.net/live/v3/channel/donate/update-point-enabled

接口说明

- 1、作用：修改积分打赏开关,不传channelId 修改全局积分打赏开关
- 2、全局积分打赏开关关闭时，如果开启频道的积分打赏，将会返回失败
- 3、接口支持https协议

请求方式

POST

请求参数

参数名	必选	类型	说明
appId	是	string	从API设置中获取，在直播系统登记的appid
sign	是	String	签名，为32位大写的MD5值, 生成签名的appSecret密钥作为通信数据安全的关键信息，严禁保存在客户端直接使用，所有API都必须通过客户自己服务器中转调用POLYV服务器获取响应数据【详见 签名生成规则 】
timestamp	是	string	当前13位毫秒级时间戳，3分钟内有效

参数名	必选	类型	说明
donatePointEnabled	是	string	积分打赏开关，值为Y/N，必填
channelId	否	int	频道ID，不传该参数表示修改全局积分打赏开关

响应成功JSON示例

```
{
  code: 200,
  status: "success",
  message: "",
  data: ""
}
```

响应异常JSON示例

```
{
  code: 400,
  status: "error",
  message: "invalid timestamp.",
  data: ""
}
```

响应参数

参数名	说明
status	响应状态
data	响应结果
code	http响应状态码
message	异常错误信息

PHP请求示例

```
<?php

//引用config.php
include 'config.php';

//接口需要的参数（非sign）赋值
$userId = "XXXXXXX";
$channelId = "127075";
$donatePointEnabled = "N";
$params = array(
    'appId'=>$appId,
    'donatePointEnabled'=>$donatePointEnabled,
    'channelId'=>$channelId,
    'timestamp'=>$timestamp
);
//生成sign
$sign = getSign($params); //详细查看config.php文件的getSign方法

$url="http://api.polyv.net/live/v3/channel/donate/update-point-enabled?
appId=$appId&channelId=$channelId&donatePointEnabled=$donatePointEnabled&sign=$sign&timestamp=$timestamp";

$ch = curl_init() or die ( curl_error() );
curl_setopt( $ch, CURLOPT_URL, $url);
curl_setopt ( $ch, CURLOPT_CUSTOMREQUEST, "POST");
curl_setopt( $ch, CURLOPT_RETURNTRANSFER, 1 );
curl_setopt( $ch, CURLOPT_CONNECTTIMEOUT, 360);
$response = curl_exec ( $ch );
curl_close ( $ch );
echo $response;

?>
```